Day: Thursday Date: 6/22/2006

Time: 10:55:40

PALM INTRANETInventor Information for 10/786938

City **Inventor Name** State/Country LOUISVILLE NORRIS, MARK A **COLORADO** Athyl/Agent Info Petition into Continuity Data Foreign Data oun alaga Contents Search Seemein Search Another: Application# or Patent# PCT / Search or PG PUBS# Search Search Attorney Docket # Search Bar Code

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| US 20050187451 A1 | US- PGPUB | 20050825 | Simultaneous signal attenuation measurements utilizing frequency orthogonal random codes | 600/326 | 600/323 | Norris, Mark A. |
|-------------------------|--------------|----------|---|---------|--|--|
| US 20050020894 A1 | US- PGPUB | 20050127 | Oversampling pulse oximeter | 600/323 | 600/332; 600/336 | Norris, Mark A. et al. |
| US 20040030231 A1 | US- PGPUB | 20040212 | OXIMETER WITH NULLED OP-AMP CURRENT FEEDBACK | 600/323 | | Norris, Mark A. |
| US 20040030230 A1 | US- PGPUB | 20040212 | FERRITE STABILIZED LED DRIVE | 600/323 | | Norris, Mark A. |
| US 20040030229 A1 | US- PGPUB | 20040212 | Feedback-controlled led switching | 600/323 | | Norris, Mark A. |
| US 20030050545 A1 | US- PGPUB | 20030313 | Diode detection circuit | 600/322 | 600/309 | Hicks, Christopher Anthony et al. |
| US 20030028357 A1 | US- PGPUB | 20030206 | Reduced cross talk pulse oximeter | 702/189 | | Norris, Mark A. et al. |
| US 20020177762 A1 | US- PGPUB | 20021128 | Oversampling pulse oximeter | 600/323 | 600/332; 600/336 | Norris, Mark A. et al. |
| US 7062307 B2 | USPAT | 20060613 | Oversampling pulse oximeter | 600/330 | 600/336 | Norris; Mark A. et al. |
| US 6825619 B2 | USPAT | 20041130 | Feedback-controlled LED switching | 315/149 | 315/291; 315/307; 356/41; 372/38.02; 600/310; 600/323 | Norris; Mark A. |
| US 6778923 B2 | USPAT | 20040817 | Reduced cross talk pulse oximeter | 702/74 | | Norris; Mark A. et al. |
| US 6748253 B2 | USPAT | 20040608 | Oversampling pulse oximeter | 600/323 | 600/336 | Norris; Mark A. et al. |
| US 6720734 B2 | USPAT | 20040413 | Oximeter with nulled op-amp current feedback | 315/149 | 315/291; 315/307; 356/41; 372/38.02; 600/310; 600/323 | Norris; Mark A. |
| US 6707257 B2 | USPAT | 20040316 | Ferrite stabilized LED drive | 315/149 | 315/291; 315/307; | Norris; Mark A. |

| | <u> </u> | | | | 345/82; | |
|------------------|------------|----------|--|-----------|-----------------------|-----------------|
| | | | | | 600/310; | |
| | | | | | 600/323 | |
| US 6668183 | USPAT | 20031223 | Diode detection circuit | 600/331 | 600/322; | Hicks; |
| B2 | | | | | 600/323 | Christopher |
| | | | | | | Anthony et |
| | | | | | | al. |
| US 6505133 | USPAT | 20030107 | Simultaneous signal attenuation | 702/74 | 702/79 | Hanna; D. |
| B1 | | | measurements utilizing code | | | Alan et al. |
| 770 (5000) | 7 10 D 1 D | 20020105 | division multiplexing | 600/000 | 600/006 | , |
| US 6505060 | USPAT | 20030107 | Method and apparatus for | 600/323 | 600/336 | Norris; |
| B1 | | | determining pulse oximetry | | | Mark A. |
| 110 (4677) | USPAT | 20021022 | differential values | 244/17.11 | 244/1NI | Rossetti; |
| US 6467723 B1 | USPAI | 20021022 | Active vibration control system for helicopter with improved | 244/17.11 | 244/1N; 244/17.27; | Dino J. et al. |
| DI | | | actustor placement | | 381/71.4 | Dillo J. et al. |
| US 6397092 | USPAT | 20020528 | Oversampling pulse oximeter | 600/323 | 600/322; | Norris; |
| B1 | USIAI | 20020328 | Oversampling purse oximeter | 000/323 | 600/322, | Mark A. et |
| Bi | | | | | 000/330 | al. |
| US 6381479 | USPAT | 20020430 | Pulse oximeter with improved | 600/336 | 600/322 | Norris; |
| B1 | | 20020.30 | DC and low frequency rejection | 000,220 | 000/222 | Mark A. |
| US 6363269 | USPAT | 20020326 | Synchronized | 600/322 | 600/336 | Hanna; D. |
| B1 | | | modulation/demodulation | | | Alan et al. |
| | | | method and apparatus for | | | |
| | | | frequency division multiplexed | | | i. |
| | | | spectrophotometric system | | | |
| US 6296093 | USPAT | 20011002 | Vibration-damped machine and | 188/378 | 267/136 | Norris; |
| B1 | | | control method therefor | | | Mark A. et |
| | | | | 00/1.11 | 00/1 0 | al. |
| US 6202521 | USPAT | 20010320 | Method, apparatus and | 82/1.11 | 82/1.3; | Rossetti; |
| B1 | | | controller for machining non- | | 82/1.4; | Dino J. et al. |
| | | | circular work pieces | 1 | 82/158; | |
| LIC (002779 | LICDAT | 19991214 | A stirre atmostrated control system | 381/71.4 | 82/904 381/71.12; | Rossetti; |
| US 6002778 | USPAT | 19991214 | Active structural control system and method including active | 361//1.4 | 381/71.12, | Dino J. et al. |
| A | | | vibration absorbers (AVAS) | | . 301//1.9 | Dino 3. ct al. |
| US 5961899 | USPAT | 19991005 | Vibration control apparatus and | 264/40.1 | 100/168; | Rossetti; |
| A | | 17771003 | method for calender rolls and | | 100/169; | Dino J. et al. |
| | | | the like | | 100/170; | |
| | | | | | 100/171; | |
| | | | | | 100/47; | |
| | | | | | 264/275; | |
| | | | | | 425/141; | |
| 1 | | | | | 425/367; | |
| | | | | | 72/11.8; | |
| | | | | | 72/16.9; | |
| | | | | | 72/18.8; | |
| | | 10000555 | | 100/272 | 72/9.2 | C-1 14 |
| US 5906254 | USPAT | 19990525 | Active systems and devices | 188/378 | 267/136; | Schmidt; |

| A | | | including active vibration absorbers (AVAS) | | 267/140.14 | Warren E. et al. |
|-----------------|-------|----------|--|----------|---|----------------------------------|
| US 5845236 A | USPAT | 19981201 | Hybrid active-passive noise and vibration control system for aircraft | 702/195 | 248/550; 248/636; 248/638; 267/136; 267/140.11; 702/56 | Jolly; Mark R. et al. |
| US 5754662 A | USPAT | 19980519 | Frequency-focused actuators for active vibrational energy control systems | 381/71.4 | 381/71.11; 381/71.14 | Jolly; Mark R. et al. |
| US 5713438 A | USPAT | 19980203 | Method and apparatus for non- model based decentralized adaptive feedforward active vibration control | 188/378 | 267/140.14; 381/71.1 | Rossetti; Dino J. et al. |
| US 5526292 A | USPAT | 19960611 | Broadband noise and vibration reduction | 700/280 | 244/1N; 381/71.4 | Hodgson; Douglas A. et al. |
| US 1535195 A | USPAT | 19250428 | Oil-burning system [TEXT AVAILABLE IN USOCR DATABASE] | 431/330 | 126/93; 431/177 | ABRAHAM CLEATUS J et al. |